<u>CLAIM SET AS AMENDED</u>

1-11 (Cancelled).

12. (Currently Amended) A beach cleaner for recovering waste comprising:

a grating portion for scooping up waste as the beach cleaner is moved, said grating

portion being inclined from a front portion towards a rear portion for positioning said front

portion at a lower position relative to said rear portion,

the grating portion being bent at an intermediate position supported by a support rod

extending in the transverse direction, the front portion and the rear portion sloping

downwardly from opposite sides of the support rod, the front portion and the rear portion

meeting at the support rod to form a downward facing obtuse angle; and

a reticulate portion formed behind said grating portion, said reticulate portion

including a front portion and a rear portion wherein said rear portion is inclined relative to

said front portion for positioning the rear portion of said reticulate portion at a location that is

lower relative to said front portion for holding waste

13. (Previously Presented) The beach cleaner according to claim 12, wherein said

reticulate portion includes a frame and a chamber having a lower wall, two upwardly

projecting side walls and a rear wall, at least said lower wall including openings therein for

enabling sand to return by gravity to the beach.

Application No. 10/649,863

Amendment dated August 10, 2004

Reply to Office Action of May 11, 2004

Docket No. 0505-1216P Art Unit:3671 Page 3 of 11

14. (Previously Presented) The beach cleaner according to claim 13, wherein said

lower wall includes a plurality of rods arranged in a side-by-side relationship for trapping

waste in said chamber for discharge while enabling sand to return by gravity to the beach.

15. (Previously Presented) The beach cleaner according to claim 13, wherein said

lower wall, said two upwardly projecting side walls and said rear wall include a plurality of

rods arranged in a side-by-side relationship for trapping wastes in said chamber for discharge

while enabling sand to return by gravity to the beach.

16. (Previously Presented) The beach cleaner according to claim 13, and further

including wheels mounted on a lower end of said frame for supporting said reticulate portion

during movement.

17. (Previously Presented) The beach cleaner according to claim 13, wherein said

frame includes an upper portion secured to said upwardly projecting side walls and a lower

portion adjustably mounted relative to said upper portion, wherein the rear side of the

reticulate portion may be adjusted by adjusting the lower portion of said frame relative to

said upper portion.

18. (Previously Presented) The beach cleaner according to claim 17, wherein said

lower portion includes four vertically mounted members having a plurality of apertures

formed therein whereby a pin may be inserted through one of the plurality of apertures in

 Application No. 10/649,863
 Docket No. 0505-1216P

 Amendment dated August 10, 2004
 Art Unit:3671

Reply to Office Action of May 11, 2004

Page 4 of 11

each of said four vertically mounted members for securing said upper portion of said frame

relative to said lower portion.

19. (Previously Presented) The beach cleaner according to claim 18, and further

including ski portions mounted to lower ends of two of forwardly positioned vertically

mounted members for facilitating the movement of said beach cleaner.

20. (Currently Amended) The beach cleaner according to claim [[12]] 14, wherein

the rods are arranged at equal intervals in the transverse direction of the beach cleaner.

21. (Currently Amended) A beach cleaner for recovering waste comprising:

a grating portion for scooping up waste as the beach cleaner is moved, said grating

portion being inclined from a front portion towards a rear portion for positioning said front

portion at a lower position relative to said rear portion; and

a reticulate portion formed behind said grating portion, said reticulate portion

including a front portion and a rear portion wherein said rear portion is inclined relative to

said front portion for positioning the rear portion of said reticulate portion at a location that is

lower relative to said front portion for holding waste,

wherein an angle of the reticulate portion relative to a horizontal plane is set smaller

than the angle of the front portion of the grating portion relative to the horizontal plane, the

angle between the reticulate portion and the front portion of the grating portion being a

downward facing obtuse angle.

Application No. 10/649,863

Amendment dated August 10, 2004

Reply to Office Action of May 11, 2004

Docket No. 0505-1216P Art Unit:3671

Page 5 of 11

22. (Previously Presented) The beach cleaner according to claim 21, wherein said

reticulate portion includes a frame and a chamber having a lower wall, two upwardly

projecting side walls and a rear wall, at least said lower wall including openings therein for

enabling sand to return by gravity to the beach.

23. (Previously Presented) The beach cleaner according to claim 21, wherein said

lower wall includes a plurality of rods arranged in a side-by-side relationship for trapping

waste in said chamber for discharge while enabling sand to return by gravity to the beach.

24. (Previously Presented) The beach cleaner according to claim 21, wherein said

lower wall, said two upwardly projecting side walls and said rear wall include a plurality of

rods arranged in a side-by-side relationship for trapping wastes in said chamber for discharge

while enabling sand to return by gravity to the beach.

25. (Previously Presented) The beach cleaner according to claim 21, and further

including wheels mounted on a lower end of said frame for supporting said reticulate portion

during movement.

26. (Currently Amended) The beach cleaner according to claim [[21]] 22, wherein

said frame includes an upper portion secured to said upwardly projecting side walls and a

lower portion adjustably mounted relative to said upper portion, wherein the rear side of the

Application No. 10/649,863

Amendment dated August 10, 2004

Reply to Office Action of May 11, 2004

Docket No. 0505-1216P Art Unit: 3671

Page 6 of 11

reticulate portion may be adjusted is adjustable by adjusting the lower portion of said frame

relative to said upper portion.

27. (Previously Presented) The beach cleaner according to claim 25, wherein said

lower portion includes four vertically mounted members having a plurality of apertures

formed therein whereby a pin may be inserted through one of the plurality of apertures in

each of said four vertically mounted members for securing said upper portion of said frame

relative to said lower portion.

28. (Previously Presented) The beach cleaner according to claim 26, and further

including ski portions mounted to lower ends of two of forwardly positioned vertically

mounted members for facilitating the movement of said beach cleaner.